### DRAFT Maintenance Effort Remains Consistent with the Prior Fiscal Year

# STATEMENT OF WORK TO INSPECT AND REPAIR ONLY AS NECESSARY THE MODULAR UNIVERSAL LASER EQUIPMENT, AN/PAQ-3, NSN 1260-01-122-8735

Prepared by:
Marine Corps Systems Command
Code CBG
814 Radford Blvd STE 20343
Albany, GA 31704-0343

#### TABLE OF CONTENTS

<u>Paragraph</u>	Title	<u>Page</u>
1.0	Carra	1
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	3
3.1	General Tasks	3
3.2	Detailed Tasks	3
3.2.1	Phase I- Pre-Induction	3
3.2.2	Phase II- Repair	3
3.2.3	Phase III- Inspection, Testing, and Acceptance	4
3.2.4	Phase IV- Packing, Handling, Storage, and Transportation	
	(PHS&T)	4
3.3	Government Furnished Equipment (GFE)/Government	5
	Furnished Materiel (GFM)	
3.4	Contractor Furnished Materiel	5
3.5	Configuration Control	5
3.6	Electrostatic Discharge Control (ESD) Control Program	5
3.7	Quality Assurance Provisions	5
3.8	Acceptance	6
3.9	Rejection	6
4.0	Reports	6
4.1	Pre-Induction Checklist	6
4.2	Repairable Item Inspection Report	6
4.3	Monthly Progress Reports	6
Appendix		
Α	DA Form 2404 (1 Apr 79)	A-1
В	Standard Form 364 (Rev. 2-80)	B-1

#### STATEMENT OF WORK

## To Inspect and Repair Only as Necessary the MODULAR UNIVERSAL LASER EQUIPMENT, AN/PAQ-3, NSN: 1260-01-122-8735

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to Inspect and Repair Only as Necessary (IROAN) the Modular Universal Laser Equipment (MULE), NSN: 1260-01-122-8735; hereafter referred to as the AN/PAQ-3. This document contains requirements to restore the AN/PAQ-3 to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitation or restriction, including materiel with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

#### 2.1 Military Standards

MIL-STD-129

DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications. The issues of those documents cited below shall be used.

SL-3-08892A	Components List for the MULE Intermediate Maintenance Kit
MI-08892A-35/1	Modification of the MULE Test Set Adapter
MI-08554D-50/1	Modification of Night Sight, AN/UAS-12D to Night Sight AN/UAS-12C
TI-4733-15/21A	Survey Instrument Calibration Program (SICP)
TM 08579A-12/1	Operator and Organizational Maintenance with Components list for the MULE

TM 08579A-15/5 Demilitarization Procedures for the MULE

TM 08579A-24P/3A Intermediate Direct Support and General Support Repair

Parts List (including Depot Maintenance Repair Parts and

Special Tools) for the MULE

TM 08579A-34/2A Intermediate Maintenance for the MULE and Fault

Isolation Test Set

TM 08579A-34/2A Supp. 1 Intermediate Maintenance for the MULE and Fault

**Isolation Test Set** 

TM 08579A-34P/4A Intermediate Direct Support and General Support Repair

Parts List (including Depot Maintenance Repair Parts and Special Tools) for the MULE Intermediate Maintenance

Kit

TM 08911A-12/1 Operator and Organizational Maintenance Manual for the

North Finding Module (MX-18204/GSQ)

DOD 4000.25-1-M MILSTRIP MANUAL

AL11228735 Special Packaging Instruction (SPI)

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 <u>Industry Standards</u>

JESD625-A Requirements for Handling Electrostatic-Discharge

Sensitive (ESDS) Devices

ANSI/ISO/ASOC 09002-1994 Quality Systems- Model for Quality Assurance in

Production, Installation and Servicing

<u>Industry Standards (For Guidance)</u>

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, Pa. 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through

the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

#### 3.0 **REQUIREMENTS**

- 3.1 <u>General Tasks</u>. In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, test and calibrate the AN/PAQ-3. Upon completion of repair, the subject item shall be Condition Code "A."
- 3.2 <u>Detailed Tasks</u>. The following tasks describe the different phases for repair of the AN/PAQ-3:

Phase I Pre-Induction
Phase II Repair

Phase III Inspection, Testing, and Acceptance

Phase IV Packaging, Handling, Storage and Transportation

(PHS&T)

- 3.2.1 Phase I- Pre-Induction. The Contractor shall perform a pre-induction inspection analysis for each AN/PAQ-3 within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Systems Command (MCSC), (Code CBG), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction checklist, which consist of DA Form 2404 (Appendix A) and Standard Form 364 (Appendix B), shall be used to report all anomalies and shall be provided to MCSC (Code CBG) in accordance with Section 4.0 of this SOW.
- 3.2.2 <u>Phase II Repair</u>. After pre-induction tests and inspections have been completed, repair of the AN/PAQ-3 shall be accomplished by the Contractor in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist (Appendix A and Appendix B) during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

#### a. Hardware

(1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety and one-time use items. Unserviceable would include any of the above that failed to function properly.

- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation</u>. The following Standards and Publications shall be used to assist the Contractor in restoring the AN/PAQ-3 to condition code "A."

SL-3-08892	Components List for the MULE Intermediate
	Maintenance Kit
MI-08892A-35/1	Modification of the MULE Test Set Adapter
MI-08554D-50/1	Modification of Night Sight, AN/UAS-12D to
	Night Sight AN/UAS-12C
TI-4733-15/21A	Survey Instrument Calibration Program (SICP)
TM 08579A-12/1	Operator and Organizational Maintenance with
	Components list for the MULE
TM 08579A-15/5	Demilitarization Procedures for the MULE
TM 08579A-24P/3A	Intermediate Direct Support and General Support
	Repair Parts List (including Depot Maintenance
	Repair Parts and Special Tools) for the MULE
TM 08579A-34/2A	Intermediate Maintenance for the MULE and Fault
	Isolation Test Set
TM 08579A-34/2A Supp. 1	Intermediate Maintenance for the MULE and Fault
	Isolation Test Set
TM 08579A-34P/4A	Intermediate Direct Support and General Support
	Repair Parts List (including Depot Maintenance
	Repair Parts and Special Tools) for the MULE
	Intermediate Maintenance Kit
TM 08911A-12/1	Operator and Organizational Maintenance Manual
	for the North Finding Module (MX-18204/GSQ)

#### 3.2.3 Phase III - Inspection, Testing, and Acceptance

- a. The Contractor shall conduct Inspection, Testing and Acceptance of the AN/PAQ-3 in accordance with the documents and TM's listed in paragraph 3.2.2 b.
- b. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCSC Code CBG, Albany, Georgia and/or their representatives may require the Contractor to repeat tests, or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

#### 3.2.4 Phase IV - Packaging, Handling, Storage, and Transportation (PHS&T)

a. The Contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this statement of work. Items for all methods of storage or shipment

shall be in accordance with Special Packaging Instruction AL11228735, which may be obtained from Storage and Distribution Department (Code 580), Business Management Branch (Code 581), Suite 20320, 814 Radford Blvd., Albany, Georgia 31704-0320, commercial telephone number (229) 639-6786 or DSN 567-6786.

- b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address (es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).
- 3.4 <u>Contractor Furnished Materiel (CFM)</u>. The contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP) Chapter 11 provides guidance to contractors on the requisitioning process. The contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.
- 3.5 <u>Configuration Control.</u> The contractor shall apply configuration control procedures to established configuration baseline items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 Quality Assurance Provisions. The contractor shall provide and maintain a quality system that as a minimum adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality Systems Model for Quality Assurance in Production, Installation and Servicing. The program shall ensure quality throughout all areas to include processing, assembly, inspection, testing,

maintenance and preparation for delivery and shipping. Unless otherwise specified in the contract, the Contractor shall be responsible for performance of all inspection requirements. The Government, MCSC Code CBG, Albany, Georgia and/or their representative reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

- 3.8 <u>Acceptance</u>. The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and MCSC Code CBG, Albany, Georgia and/or their representatives shall be permitted to observe the work or to conduct an inspection.
- 3.9 <u>Rejection</u>. Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCSC Code CBG, Albany, Georgia and/or their representative. The Contractor shall, at no additional cost to MCSC, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- 4.0 <u>REPORTS.</u> The contractor shall provide one copy of the below reports to the following address: Marine Corps Systems Command, Attn: (Code CBG), 814 Radford Blvd., Suite 20343, Albany, Georgia 31704-0343.
- 4.1 <u>Pre-Induction Checklist</u>. The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A and Appendix B) for each AN/PAQ-3 repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall, be provided after final acceptance of the AN/PAQ-3.
- 4.2 <u>Repairable Item Inspection Report</u>. The Contractor shall provide a Repairable Item Inspection Report for each AN/PAQ-3. The report shall be identified by United States Marine Corps Serial Number.
- 4.3 <u>Monthly Progress Reports</u>. The Contractor shall provide Monthly Progress Reports summarizing the progress and status of the AN/PAQ-3 Program.

For use of this form, see DA PAM 738-750 and 738-751; the proponent agency is DCSLOG												
1. ORGANIZ		I MICH	Lange	4b. HOURS			NCLATURE and N	MODEL 5. DATE		Z TOZDE U	NEDECTION	
Z. KEGIŞTRA	ATION/SERIA	TANSM	4a. MILES	46. HOURS	4c. ROUN FIREI		4d. HOT STARTS	5. DATE		o. I IPE I	NSPECTION	
7.				APPLICABLE	REFEREN		ent film					
TM NUMBE	R			M DATE	-	TM NUM	IBER			TM DATE		
COLUMN a - Enter TM number.						UMN d - Shov Column c.	w corrective actio	n for defic	ciency o	r shortcoming		
COLUMN b - Enter applicable condition status Symbol.							**					
COLUM	IN c - Enter	r deficiencies and	i shortcomings.			in this c	column.	ridual ascertainin	g complete	ed corre	ctive action initial	
					TATUS S							
<del>-</del>							DIAGONAL "(/)" - Indicates a materiel defect other than a deficiency which must be corrected to increase efficiency or to make the item completely serviceable.					
CIRCLE	D "X" - Ind	licated a deficien	cy, however, the	equipment ma			-1,	***************************************				
operated ur	nder specifi	c limitations as d	lirected by highe	r authority or a	ıs					BLUE I	NK, OR PENCIL -	
prescribed	locally, unt	il the corrective	action can be acc	complished.		Indicate	s that a satisfa	ctory condition e	xists.			
component	t replacement t been accor	SH "(-)" - Indica nt, maintenance on plished, or an o	operation check,	or test flight is	s due		AIRCRAFT -	Status symbols w	rill be reco	orded in	red.	
								FORM HAVE BE			ED	
								S IN THE TM C		REON.		
8a. SIGNAT	URE (Person(s	) performing inspectio	n)	8b. TIME	9a SIGN	ATURE (M	faintenance Superi	visor)	9b. TIME		10. MANHOURS REQUIRED	
TM ITEM NO.	STATUS	S DEFICIENCIES AND SHORTCOMINGS			•	CORRECTIVE ACTION				INITIAL WHEN CORRECTED		
a.	b.		с.					d.			e.	
			— <u></u>									
		<u> </u>									-	
	·											
				<u> </u>			<u></u>					
		,,										
				· · · · · · · · · · · · · · · · · · ·								
							<del>-</del>					
		-	<del></del>								<del></del>	

DA FORM 2404 1 APR 79 Procedes edition of 1 Jan 84, which will be used

STANDARD FORM 364 (Rev. 2-80) (EG) Prescribed by GSA FPMR 101.20.0

#### INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.

CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a).

REPORT OF DISCREPANCY (ROD) SHIPPING PACKAGING					E OF PREPARATION	ON	2. REPORT N	2. REPORT NUMBERI			
SHIPPING PACKAGIN 3. TO: (Name and Address, Include ZIP Code)	4. FROM: (Name and Address, Include ZIP Code)										
5a. SHIPPERS NAME					MBER AND DATE	5c. TRANSPORTATION DOCUMENT NUMBER (GBL, Waybill, TCN, etc.)					
7a. SHIPPER'S NUMBER (Purchase Order/Shipmnet, Contract, etc)	R (Purchase Order/Shipmnes, 7b. OFFICE ADMINISTERING CONTRACT						8. REQUISITIONE etc.)	B. REQUISITIONER'S NUMBER (Requisition, Purchase Request, tc.)			
9. SHIPMENT, BIL	LING, AND RECEIP	T DATA		-		10.	DISCREPA	NCY DATA		11.	
NSN/PART NUMBER AND NOMENCLATURE		. UNIT OF ISSUE	QUANTII SHIPPEL BILLED	)/	QUANTITY RECEIVED	QUAN- TITY	UNIT PRICE	TOTAL COST	1 CODE	<u> </u>	
(a)		(b)	(c)		(d)	(a)	(b)	(c)	(d)	<u> </u>	
12. REMARKS (continue on separate sheet of paper if neces	sary)										
	1 DISCREPA	NCY CODES					-	2 ACTIO	N CODES	<del> </del>	
CONDITION OF MATERIAL C1 - In condition other than that indicated on release/receipt document C2 - Expired shelf life C3 - Damaged parcel post shipment SUPPLY DOCUMENTATION S1 - Non-receipt of parce D1 - Not received D2 - Illegible or mutilated D3 - Incomplete, Improper or without authority (Only when receipt cannot be properly processed) MISDIRECTED MATERIAL M1 - Addressed to wrong activity OVERAGE/DUPLICATE SHIPMENTS O1 - Quantity in excess of that requested (Other than unit of issue pack) O3 - Quantity duplicate shipment PACKING DISCREPANCY P1 - Improper packing P3 - Improper marking P4 - Improper marking P4 - Improper marking P4 - Improper marking PACKING AND ACCOUNTING DATA					e to Grant Aid and F ipt document ed (Other than unit- oments INGS (i.e., Name F Instructions, etc.) rkings missing omplete nissing or incomplet	of issue pack) Plates, Log	1A - Disposition instructions requested (Reply on reverse) 1B - Material being retained (See Remarks) 1C - Supporting supply documentation requested 1D - Material still required, expedite shipment (Not applicable to FMS) 1E - Local purchase material to be returned at supplier's expense unless disposition instructions to the contrary are received within 15 days (Reply onreverse) (Not applicable to FMS) 1F - Replacement shipment requested (Not applicable to FMS) 1G - Reshipment not required. Item to be re-requisitioned 1H - No action required. Information only 12 - Other action requested (See remarks)				
14a. TYPED OR PRINTED NAME, TITLE, AND PHONE	NUMBER OF PREPA	RING OFFICIA	AL		14b. SIGNATURE						
15. DISTRIBUTION ADDRESSEES FOR COPIES											

(Previous edition is obsolete)

364-103

7540-00-159-4442

16. FROM:	<del></del>	17. DISTRIBUTION ADDRESSEES FOR DISTRIBUTION				
18. TO:		<del></del>				
		Use window envelop				
		address, including Z				
1		starting one typing sp				
		the left dot. Each addre NOT extend beyond				
		Address must not excee				
19. IN ACCORDANCE W	TTH NOTICE OF DI	space typing line SCREPANCY ON FACE OF THIS FORM:	es.1			
a. MATERIAL DOCUMENT NUMBER	THINOTICE OF DE					
HAS WILL BE SHIPPED		NO RECORD OF SHIPMENT. RESUBMIT REP TO PROPER OFFICE UNDER	ORT			
c. AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED AS A CREDIT	DEBIT	d. INVOICE/BILL c. PROOF				
f. AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCREPANTHE INDICATED REGULATION	NCY WILL NOT BE PROCE	SSED FOR THE FOLLOWING REASON WHICH IS CITED I	N			
(1) REASON FOR NOT PROCESSING		(2) PRESCRIBING REGULATION	<u>NC</u>			
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FRAM	IES ALLOWED AND/OR	(a) CHAPTER 5 OF THE GSA HANDBOOK, DISCREPANCIES OR DEFICIENCIES IN GSA OR DOD SHIPMENTS, MATERIALS, OR BILLINGS				
		(FPMR 101.26.8)				
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBED OR AGREEMENT INDICATED IN 191(2)	(b) CHAPTER 2 AND/OR 7 OF DOD 4000.25.7.M, MILITARY STANDARD BILLING SYSTEM (MILBILLS) AND/OR DD 1513, U.S. DOD OFFER AND ACCEPTANCE, AS APPLICABLE					
THE POLL OW	NC DIEDOSFION IS TO B	E MADE OF THE REFERENCED MATERIAL				
			YS			
c RETAIN MATERIAL AT NO CHARGE	i MATERIAL WILL E		AYS			
Largest .	<u> </u>					
e. SHIP MATERIAL Specify location)						
(1) GBL APPROPRIATION CHARGEABLE:						
(2) CHARGES COLLECT - VIA: FREIGHT	EXPRESS	PARCEL POST				
		(5				
(3) PARCEL POST LABEL ATTACHED	(4) FREIGHT PRE	AID				
f. OTHER (Specify)						
	· · <del>-</del> · · ·	D	ATE			
SUBMIT NEW REQUISITION.	REPLACEMENT W WILL BE MADE OF	ITH SATISFACTORY MATERIAL WOR BEFORE:	<del></del>			
23. REMARKS (Continue on separate sheet of paper if necessary).						
			<del></del>			
24a. TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL.	24b. SIGNATURE	_	4c. TE			
	<del></del>	STANDARD FORM 364 BACK (REV	7. 2-80)			